

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10816500

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

PALM INTRANETDay : Thursday
Date: 10/26/2006
Time: 16:26:45

Inventor Information for 10/816500

Inventor Name	City	State/Country
BARKER, KEITH J.	CANDIA	NEW HAMPSHIRE
KALMOUNI, BASSAM M.	PEMBROKE	NEW HAMPSHIRE
LYNCH, BRIAN A.	MERRIMACK	NEW HAMPSHIRE
MANI, NIKHIL	BILLERICA	MASSACHUSETTS
NAHILL, THOMAS E.	AMHERST	NEW HAMPSHIRE

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#)[Invento](#)

Search Another: Application#

or Patent#

PCT / /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

US 20060110558 A1	20060525	Graded crystallization of container finishes	428/35.7		Nahill; Thomas E. et al.
US 20060073296 A1	20060406	Container preform assembly and method of manufacture	428/35.7		Nahill; Thomas E. et al.
US 20060073293 A1	20060406	Finish assembly, preform assembly, container assembly, and method of manufacture	428/35.7		Nahill; Thomas E.
US 20060071368 A1	20060406	Method and apparatus for compensating for in mold material shrinkage	264/319	425/406	Mani; Nikhil
US 20060001196 A1	20060105	Method of reheat blow molding a container	264/535		Nahill; Thomas E.
US 20050249902 A1	20051110	Compression over-molding container preforms	428/35.7		Lynch, Brian A. et al.
US 20050248054 A1	20051110	Take out and cooling system and method	264/237	264/348; 425/444	Bates, Peter A. et al.
US 20050225008 A1	20051013	Method and apparatus for compression molding plastic articles	264/320	425/348R	Deardurff, L. Robert et al.
US 20050218564 A1	20051006	Multilayer container trimming	264/400	264/482; 264/523	Nahill, Thomas E. et al.
US 20050218103 A1	20051006	Preform assembly, container assembly, and method of manufacture	215/44	215/40; 428/36.92	Barker, Keith J. et al.
US 20050181156 A1	20050818	Enhanced oxygen-scavenging polymers, and packaging made therefrom	428/35.7		Schmidt, Steven L. et al.
US 20050158495 A1	20050721	Lightweight container and method of manufacture	428/35.7		Nahill, Thomas E.
US 20050153089 A1	20050714	Stretched container threads and method of manufacture	428/35.7		Lynch, Brian A. et al.
US 20050142311 A1	20050630	Finish assembly for a plastic container or preform	428/35.7		Nahill, Thomas E.
US 20050139569	20050630	Swage-forming of container or preform	215/44	264/312; 264/318	Larsen, W. Bruce et al.

A1		internal threads			
US 20050029712 A1	20050210	Continuous production of container preforms	264/524	264/319	Nahill, Thomas E. et al.
US 20050003123 A1	20050106	Preform assembly, container assembly and method of manufacture	428/35.7		Nahill, Thomas E. et al.
US 20040189269 A1	20040930	Timing circuit for synchronous DC/DC control to reduce synchronous rectifier body diode conduction	323/282		Lynch, Brian Thomas
US 20040166265 A1	20040826	CONTAINER PREFORM ASSEMBLY AND METHOD OF MANUFACTURE	428/35.7		Nahill, Thomas E. et al.
US 20040166264 A1	20040826	Preform assembly, container assembly and method of manufacture	428/35.7	264/523; 428/542.8	Nahill, Thomas E. et al.
US 20040166263 A1	20040826	Container preform assembly and method of manufacture	428/35.7		Nahill, Thomas E. et al.
US 20040146672 A1	20040729	Stretched container threads and method of manufacture	428/35.7	264/235; 264/533; 264/537	Lynch, Brian A. et al.
US 20040121097 A1	20040624	Swage-forming of container threads	428/35.7	264/235; 264/531; 264/536	Nahill, Thomas E. et al.
US 20040043172 A1	20040304	Enhanced oxygen-scavenging polymers, and packaging made therefrom	428/35.7		Schmidt, Steven L. et al.
US 20030194518 A1	20031016	Graded crystallization of container finishes	428/35.7	264/523	Nahill, Thomas E. et al.
US 20030173448 A1	20030918	High speed transfer takeup	242/474.4	242/476.6; 242/920	Angold, Russ et al.
US 20030138578 A1	20030724	Enhanced oxygen-scavenging polymers, and packaging made therefrom	428/35.7		Schmidt, Steven L. et al.
US 20020177686 A1	20021128	Process for making PEN/PET blends and transparent articles therefrom	528/272	525/444	Schmidt, Steven L. et al.

US 20020037377 A1	20020328	Enhanced oxygen-scavenging polymers, and packaging made therefrom	428/35.8	428/35.3; 428/35.7	Schmidt, Steven L. et al.
US 20020022099 A1	20020221	Enhanced oxygen-scavenging polymers, and packaging made therefrom	428/35.7		Schmidt, Steven L. et al.
US 20010023429 A1	20010920	DATA BROADCASTING SYSTEM AND METHOD FOR DISTRIBUTING DATA FROM ONE OR MORE CONTENT PROVIDERS TO PERSONAL COMPUTERS	709/203		BARKER, KEITH R. et al.
US 20010011305 A1	20010802	FILE TRANSMISSION ACKNOWLEDGEMENT SYSTEM AND METHOD	709/237	709/203; 709/223	BARKER, KEITH R.
US 20010009951 A1	20010726	Process for making pen/pet blends and transparent articles therefrom	525/444	528/298; 528/308.1; 528/308.8	Schmidt, Steven L. et al.
US 7044417 B2	20060516	High speed transfer takeup	242/474.4	242/125.1; 242/476.1; 242/526.2; 83/651.1	Angold; Russ et al.
US 7033656 B2	20060425	Graded crystallization of container finishes	428/35.7	428/542.8	Nahill; Thomas E. et al.
US 6977104 B1	20051220	Container preform assembly and method of manufacture	428/35.7	215/40; 215/42; 215/43; 215/44	Nahill; Thomas E. et al.
US D505077 S	20050517	Container	D9/538	D9/540	Piccioli; David P. et al.
US 6884382 B2	20050426	Stretched container threads and method of manufacture	264/521	264/529; 264/537; 264/908	Lynch; Brian A. et al.
US 6861826 B2	20050301	Timing circuit for synchronous DC/DC control to reduce synchronous rectifier body diode conduction	323/224	323/284	Lynch; Brian Thomas
US 6811845	20041102	Container preform	428/35.7	264/335;	Nahill; Thomas

B2		assembly and method of manufacture		264/533; 264/535; 428/542.8	E. et al.
US 6586558 B2	20030701	Process for making PEN/PET blends and transparent articles therefrom	528/271	264/176.1; 528/272	Schmidt; Steven L. et al.
US 6444158 B1	20020903	Handled plastic container	264/516	215/396; 215/398	Grob; Rolf et al.
US 6395865 B2	20020528	Process for making pen/pet blends and transparent articles therefrom	528/272	528/271	Schmidt; Steven L. et al.
US 6307833 B1	20011023	Rain fade mitigation in a data transmission system	370/216	455/505	Barker; Keith R. et al.
US 6233252 B1	20010515	Transfer of very large digital data files via a fragmentation and reassembly methodology	370/473	370/474	Barker; Keith R. et al.
US 6194536 B1	20010227	Process for making pen/pet blends and transparent articles therefrom	528/272	528/271	Schmidt; Steven L. et al.
US 6171888 B1	20010109	Multi-layer tab tape having distinct signal, power and ground planes, semiconductor device assembly employing same, apparatus for and method of assembling same	438/123	257/E21.518; 257/E23.062; 257/E23.065; 438/106; 438/121	Lynch; Brian et al.
US 6141682 A	20001031	Method and apparatus for integrating interactive local internet access and downstream data transfer over a cable TV system with upstream data carried by other media	709/217	725/109; 725/114; 725/127	Barker; Keith R
US 6112925 A	20000905	Enhanced shelf-life pressurized container with ribbed appearance	215/382	215/381; 220/671; 220/672; 220/675	Nahill; Thomas E. et al.
US 6063325 A	20000516	Method for preventing uncontrolled polymer flow in preform neck finish during packing and	264/513	264/328.12; 264/328.8; 425/130	Nahill; Thomas E. et al.

		cooling stage			
US 5892272 A	19990406	Integrated circuit with on-chip ground base	257/668	257/701; 257/728; 257/737; 257/780; 257/E23.153	Lynch; Brian J.
US 5884792 A	19990323	Preform for a hot fill pressure container	215/375	215/377; 220/606; 53/440	Krishnakumar; Suppayan M. et al.
US 5872404 A	19990216	Interconnect bump for flip-chip integrated circuit including integral standoff and hourglass shaped solder coating	257/781	257/780; 257/E21.508; 257/E23.021; 257/E23.068	Lynch; Brian et al.
US 5853829 A	19981229	Refillable polyester container and preform for forming the same	428/35.7	215/370; 215/375; 215/382; 428/36.92; 428/542.8	Krishnakumar; Suppayan M. et al.
US 5763952 A	19980609	Multi-layer tape having distinct signal, power and ground planes, semiconductor device assembly employing same, apparatus for and method of assembling same	257/735	257/666; 257/668; 257/692; 257/696; 257/713; 257/758; 257/E21.518; 257/E23.065; 257/E23.079; 257/E23.125	Lynch; Brian et al.
US 5698465 A	19971216	Process for manufacturing an interconnect bump for flip-chip integrated circuit including integral standoff and hourglass shaped solder coating	438/125	228/180.22; 257/E21.508; 257/E23.021; 257/E23.068; 438/614; 438/615	Lynch; Brian et al.
US 5681777 A	19971028	Process for manufacturing a multi-layer tab tape semiconductor device	29/827	257/E21.518; 257/E23.004; 257/E23.055; 257/E23.062; 257/E23.065; 257/E23.079; 257/E23.125; 438/122; 438/123	Lynch; Brian et al.
US 5622735 A	19970422	Fluid supply apparatus for blow mold	425/530	425/535	Krishnakumar; Suppayan M. et

					al.
US 5599496 A	19970204	Method of making a refillable polyester container	264/532	264/537	Krishnakumar; Suppayan M. et al.
US 5582788 A	19961210	Method of cooling multilayer preforms	264/297.2	264/328.14; 264/328.16; 264/328.8; 264/513; 264/519; 264/538; 264/904; 425/526; 425/533; 425/534; 425/547	Collette; Wayne N. et al.
US 5482897 A	19960109	Integrated circuit with on- chip ground plane	438/121	257/E23.153; 29/827; 29/854; 438/123; 438/614	Lynch; Brian J.
US 5474735 A	19951212	Pulse blow method for forming container with enhanced thermal stability	264/529	264/526; 264/905	Krishnakumar; Suppayan M. et al.
US 5466635 A	19951114	Process for making an interconnect bump for flip-chip integrated circuit including integral standoff and hourglass shaped solder coating	438/614	228/180.22; 257/E21.508; 257/E23.021; 257/E23.068; 438/615	Lynch; Brian et al.
US 5447229 A	19950905	Cot/tab protective shipping apparatus and method	206/706	206/499; 206/718; 206/723; 206/814; 206/817; 220/629; 220/630	Lynch; Brian et al.
US D359159 S	19950613	Logo sports cap	D2/872	D2/882	Barker; Keith E.
US RE34552 E	19940222	Two material three/five layer preform	428/35.7	215/12.1; 215/12.2; 215/371; 428/36.7; 428/36.8; 428/542.8	Krishnakumar; Suppayan M. et al.
US 5198248 A	19930330	Blow mold for forming a refillable polyester	425/522	215/373; 220/606;	Krishnakumar; Suppayan M. et

		container		425/525	al.
US 5160059 A	19921103	Reinforced container base and method of forming same	215/375	220/606; 264/523; 428/542.8	Collette; Wayne N. et al.
US 5118333 A	19920602	Apparatus for contacting a preform rod to cause the preform rod to have a substantially straight longitudinal axis and a transverse cross section which is substantially circular and disposed concentrically about its longitudinal axis	65/423	65/160; 65/271; 65/279; 65/402; 65/412	Baltzer; Gary L. et al.
US 5104706 A	19920414	Preform for hot fill pressure container	428/36.92	215/375; 220/606; 428/542.8	Krishnakumar; Suppayan M. et al.
US 5098274 A	19920324	Apparatus for injection molding of multilayer preforms	425/133.1	425/146; 425/147; 425/159; 425/562	Krishnakumar; Suppayan M. et al.
US 5066528 A	19911119	Refillable polyester container and preform for forming the same	428/36.92	428/542.8	Krishnakumar; Suppayan M. et al.
US 5049345 A	19910917	Method of forming a multi-layer preform	264/255	264/513; 425/130	Collette; Wayne N. et al.
US 5032341 A	19910716	Method of forming two material three/five layer preform	264/255	264/513; 425/130	Krishnakumar; Suppayan M. et al.
US 5030266 A	19910709	Apparatus for adjusting the configuration of optical substrates	65/508	65/160; 65/279; 65/292; 65/533	Baltzer; Gary L. et al.
US 4990301 A	19910205	Method and apparatus for injection molding of multilayer preforms	264/513	264/245; 264/255; 264/328.12; 425/130; 425/533	Krishnakumar; Suppayan M. et al.
US 4980100 A	19901225	Vented recyclable multilayer barrier container, an apparatus for and method of making same	264/400	264/154; 264/156; 264/454; 264/512; 264/513	Krishnakumar; Suppayan M. et al.
US 4979631 A	19901225	Vented recyclable multilayer barrier container	215/12.2	206/524.2; 215/379; 215/385;	Krishnaukumar; Suppayan M. et al.

				215/902; 215/DIG.6; 220/62.11	
US 4966543 A	19901030	Apparatus for forming a vented recyclable multilayer barrier container	425/522	264/523; 425/523; 425/531; 425/812	Krishnakumar; Suppayan M. et al.
US 4954376 A	19900904	Two material three/five layer preform	428/35.7	215/12.1; 215/370; 215/379; 428/36.7; 428/542.8	Krishnakumar; Suppayan M. et al.
US 4950143 A	19900821	Injection mold manifold arrangement	425/130	264/297.2; 264/328.13; 264/328.4; 264/328.8; 425/544; 425/557; 425/559; 425/562; 425/573	Krishnakumar; Suppayan M. et al.
US 4936473 A	19900626	Hot-fill product container with multi-layer wall structure	215/12.2	215/379; 428/36.6; 428/36.7	Nahill; Thomas E. et al.
US 4923723 A	19900508	Multi-layer preform, method of forming preform, and container formed from the preform	428/35.7	215/12.1; 215/12.2; 215/382; 428/212; 428/213; 428/36.7; 428/542.8	Collette; Wayne N. et al.
US 4875916 A	19891024	Methods of adjusting the configuration of optical substrates	65/381	65/102; 65/109; 65/271; 65/278; 65/279; 65/412; 65/435	Baltzer; Gary L. et al.
US 4781954 A	19881101	Preform with internal barrier and products made from the same	428/36.6	215/12.2; 215/40; 215/43; 264/328.8; 264/513; 428/483; 428/542.8	Krishnakumar; Suppayan M. et al.
US 4710118	19871201	Apparatus for forming	425/130	425/533;	Krishnakumar;

A		preforms with internal barrier		425/566	Suppayan M. et al.
US 4609516 A	19860902	Method of forming laminated preforms	264/255	264/328.12; 264/328.8; 264/513; 425/130	Krishnakumar; Suppayan M. et al.
US 4601740 A	19860722	Methods of and apparatus for at least partially closing an end portion of an optical preform tube	65/419	65/109; 65/399; 65/428	Lynch; Brian et al.
US 4582480 A	19860415	Methods of and apparatus for vapor delivery control in optical preform manufacture	432/1	261/121.1; 261/125; 261/22; 392/394; 432/266	Lynch; Brian et al.
US 4486214 A	19841204	Methods of and apparatus for collapsing a preform tube into a preform from which lightguide fiber is drawn	65/419	65/428	Lynch; Brian et al.
US 4477273 A	19841016	Method of and apparatus for straightening and configuring a preform tube from which lightguide fiber is drawn	65/428	65/102; 65/109; 65/110; 65/120; 65/157; 65/271; 65/272; 65/276; 65/279; 65/356; 65/374.15; 65/514	Lynch; Brian et al.
US 4253583 A	19810303	Closure for container	220/319	215/272; 215/274; 220/327; 292/256.6	Lynch; Brian
US 4231777 A	19801104	Methods of and apparatus for heating a glass tube	65/109	65/110; 65/120; 65/244; 65/271; 65/417; 65/507	Lynch; Brian et al.
US 4224105 A	19800923	Apparatus for simultaneously covering each of a plurality of elongated materials with	162/268	162/300; 162/336	Lynch; Brian et al.

		uniformly weighted pulp insulation			
US 4184913 A	19800122	Methods of simultaneously covering each of a plurality of elongated materials with uniformly weighted pulp insulation	162/106	162/268; 162/300; 162/301	Lynch; Brian et al.
US 3983303 A	19760928	Method of manufacturing articles from metal coated with a zirconium nitride layer	428/457	376/305; 376/900; 427/433; 428/34.1	Biermann; Udo Klaus Paul et al.
US 3861146 A	19750121	HOT-GAS RECIPROCATING ENGINE	60/524	165/104.26; 60/526	Lynch; Brian et al.
US 3500470 A	19700310	ELECTRONIC DISPLAY SYSTEMS [TEXT AVAILABLE IN USOCR DATABASE]	345/14	178/15; 341/106; 341/99; 345/27	FENSOME FRANK et al.
US 3485044 A	19691223	COMBUSTION APPARATUS FOR GAS TURBINE ENGINES [TEXT AVAILABLE IN USOCR DATABASE]	60/752	60/804	BARKER KEITH LAMBERT